

Revision Date: 1st January 2020

SAFETY DATA SHEET		
SECTION 1: PRODUCT AND COMPANY IDENTIFICATION		
1.1	Product name	GKhair Hair Taming System with Juvexin Fast Blow Dry
1.2	Product Category	Styling and Aftercare
1.3	Company Name	TIBOLLI, LLC
1.4	Company Address	1607 Ave. Ponce de Leon, Edificio Cobian's Plaza, GM-06, San Juan, 00909, Puerto Rico.
1.5	Company Contact Details	+1 305 390 0044 (phone) +1 954 514 9043 (fax) info@vantibolli.com (email) http://www.vanibolli.com (web)
1.6	Customer Service Number	INFOTRAC: US/CANADA 1-800-535-5053/International 1-352-323-3500
SECTION 2: HAZARD IDENTIFICATION <div style="display: flex; justify-content: center; align-items: center; gap: 20px;">    </div> <p style="text-align: center;">Warning</p>		
2.1	Precautionary Phrases	Harmful if swallowed, inhaled or in contact with skin. Suspected of causing genetic defects Suspected of damaging fertility or the unborn child. Causes damage to organs. Causes serious eye damage. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer.
2.2	Precautionary Statements	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breath vapors/fumes. Wash thoroughly after handling. Do not eat, drink or smoke when using this Product. Use only outdoors or in a well-ventilated area.

		Contaminated work clothing should not be allowed out of the work place.
2.3	Response Phrases	Wear protective gloves/clothing, eye/face protection. If swallowed, call a poison centre/doctor in case of feeling unwell. If inhaled, move person outside for fresh air. If exposed or concerned, get medical assistance.
2.4	Emergency Overview	This product is intended to be used only by licensed professional hair dressers. The professional should be aware of this SDS and how to act in case of emergency. This substance may be toxic to kidneys, liver, skin central nervous system. Repeated or prolonged exposure can produce target organ damage. Repeated exposure to highly toxic material may produce general deterioration of healthy by an accumulation in one or more human organs.
2.5	Effect of Exposure	Eye, skin and respiratory irritant. Very hazardous in case of eye contact or ingestion. Hazardous in case of skin contact. Severe over-exposure can result in death.
2.6	Symptoms of Overexposure	Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure reaction such as redness, itching and irritation of affected areas. The product can cause allergic skin reactions (e.g. rashes, welts, dermatitis) in some sensitive individuals.
<i>ACUTE HEALTH EFFECTS:</i>		
2.7	Ingestion	May be corrosive to digestive tract; may cause burns to the digestive tract. May cause liver damage. May cause kidney damage. May cause central nervous system depression. May be fatal or cause blindness if swallowed.
2.8	Eyes	May cause eye irritation or burns. Inflammation of the eye is characterized by redness, watering and itching.
2.9	Skin	Slightly hazardous in case of skin contact (corrosive, irritant, sensitizer, permeator).
2.10	Inhalation	Cause respiratory tract irritation. May cause central nervous system depression, characterized by nausea, headache, unconsciousness and



		coma. May cause allergic sensitization of the respiratory tract.					
2.11	Chronic Health Effects	Product contains formaldehyde, which is classified A2 (suspected carcinogen for human) by ACGIH and A2 (probable carcinogen for human) by IARC. Repeated or prolonged exposure increases risk of cancer.					
SECTION 3: INGREDIENTS AND COMPOSITION							
3.1	<p>Aqua, Polysorbate 20, Hydrolyzed Keratin, Oxidized Keratin, Keratin (JUVEXIN), Parfum, Polyquarternium-55, Hydroxyethylcellulose, Disodium EDTA, Polyquarternium-10, Butylphenyl Methylpropional.</p> <p>Hazardous constituents associated with the product are listed below:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Methylene Glycol</td> <td style="width: 30%;">50-00-0</td> <td style="width: 20%;">4-5%</td> </tr> <tr> <td>Triethanolamine</td> <td>102-71-6</td> <td>0.03-0.06%</td> </tr> </table>	Methylene Glycol	50-00-0	4-5%	Triethanolamine	102-71-6	0.03-0.06%
Methylene Glycol	50-00-0	4-5%					
Triethanolamine	102-71-6	0.03-0.06%					
SECTION 4: FIRST AID MEASURES							
4.1	In case of Skin Allergy	Discontinue the use of product. Apply cold compressions to affected area, which would help relieve any discomfort. If discomfort persists, contact a physician.					
4.2	In case of contact with Eyes	Thoroughly rinse with water for 15-20 minutes, occasionally lifting eyelids. Seek medical assistance immediately.					
4.3	In case of Inhalation	If respiratory irritation occurs, move person outside for fresh air. Consult a physician if discomfort persists. Intentional misuse by deliberately concentrating and inhaling content can be harmful and fatal.					
4.4	In case of Ingestion	Do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. Loosen tight clothing, such as a tie, collar, belt, and waistband. Dilute with fluids (milk or water). Seek medical attention immediately.					
SECTION 5: FIRE FIGHTING MEASURES							
5.1	Flash Point	>100°C					

5.2	Auto Ignition Temperature	N/A
5.3	Extinguishing Media	Carbon Dioxide, Dry Chemical, Foam, or Water Spray.
5.4	Fire Fighting Procedures	Contact Emergency Personnel. Use self-contained breathing, apparatus and full protective gear, if large quantities of product are involved.
5.5	Unusual Fire Fighting Procedures	Do not use straight streams of water.
SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1	Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains.
6.2	Personal Precautions, Protective Equipment and Emergency Procedures:	Do not inhale vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
6.3	Methods of Clean up	Eliminate all sources of ignition. A vapor suppressing foam may be used to reduce vapors. Do not touch or walk through spilled material. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations. Use clean non-sparking tools. Soak up with absorbent materials, wash with water and place in non-leaking containers for appropriate disposal.
SECTION 7: HANDLING AND STORAGE INFORMATION		
7.1	Respiratory Protection	Avoid inhaling Fumes
7.2	Storage	Store up right at room temperature in a cool, dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. In order to maintain product quality do not store near a heat source or in direct sunlight.



		Local Exhaust	Recommended
7.3	Ventilation Measures	Special	None
		Mechanical	None
		Other	None
SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION			
8.1	OSHA Permitted Exposure Limits	<p>Formaldehyde (50-00-0), OSHA PEL: 0.75 ppm (ST) 2 ppm, ACGIH TLV (TWA): © 0.3 ppm.</p> <p>The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5-day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equaled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term “peak” is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.</p>	
8.2	Other Precautions	<p>Avoid bacterial contamination. Keep containers tightly closed when not in use. Avoid contact with skin or in eyes. Do not inhale vapor or mist. Metal containers involved in the transfer of this material should be grounded and bonded. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.</p>	
8.3	Skin	<p>Use plastic or rubber gloves.</p>	
8.4	Eyes	<p>Use safety glasses or goggles.</p>	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
9.1	Appearance	<p>Liquid</p>	
9.2	Color	<p>Hazy to clear</p>	



9.3	Odor	Compare to STD
9.4	Viscosity	50 – 200 cPs
9.5	pH	4.0 – 5.0
9.6	Density	0.9 – 1.1
9.7	Specific Gravity	0.9 – 1.1
SECTION 10: STABILITY AND REACTIVITY		
10.1	Stability	Stable when stored in a cool, dry place and out of sunlight.
10.2	Conditions to Avoid	Direct heat, flames, sparks, confined spaces and incompatible materials.
10.3	Incompatibility	Oxidizing agents, reducing agents, acids, alkalis. Slight reactivity with metals.
10.4	Hazardous Polymerization	Does not occur
10.5	Hazardous Decomposition Products	Carbon Monoxide, Carbon Dioxide
SECTION 11: TOXICOLOGICAL INFORMATION		
11.1	Toxic Ingredient	Formaldehyde (50-00-0)
11.2	Inhalation	Category 4
11.3	Dermal	Category 4
11.4	Oral	Category 4
11.5	Skin Irritant/Corrosion	Category 1
11.6	Skin Sensitizer	Category 1
11.7	Eye Irritant/Damage	Category 1
11.8	Carcinogenic	Category 1A
11.9	Germ Cell Mutagenicity	Category 2
11.10	Specific Target Order Toxicity (single exposure)	Category 1
11.11	Reproductive Toxicity	Category 2
SECTION 12: ECOLOGICAL INFORMATION		
12.1	Ecological Hazards	No ecological hazard has been tested to be associated with the product.
SECTION 13: DISPOSAL CONSIDERATIONS		
13.1	Disposing Information	Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap



		empty container and throw in trash collection. Dispose of according to Federal, State and Local Regulations regarding health, air and water pollution. Small quantities as used in a salon may safely be flushed down the sink. However, if you have old or redundant stock, call your local council or supplier for disposal advice.
SECTION 14: TRANSPORTATION INFORMATION		
14.1	Finished Packaged Product Transported by Ground (DOT)	Non-hazardous
14.2	Finished Packaged Product Transported by Vessel (IMDG)	Non-hazardous
14.3	Finished Packaged Product Transported by Air (IATA)	Non-hazardous
SECTION 15: REGULATORY INFORMATION		
15.1	U.S Regulation	Food, Drug and Cosmetics Act 1938, California Prop 65, California CARB VOC Regulations.
15.2	European Regulation	European Commission Directive 1223/2009.
15.3	SARA 313	This material contains Formaldehyde (CAS# 50-00-0), which is subject to the reporting requirements of section 313 of SARA Title III and 40 CFR Part 373.
15.4	AICS	All ingredients are compliant with NICNAS regulations.
SECTION 16: OTHER INFORMATION		
16.1	Disclaimer	TIBOLLI, LLC believes that the information contained in this SDS is correct as of this date. However, because the material may be used under conditions which TIBOLLI, LLC has no control over or cannot anticipate, it gives no warranty, express or implied, as to the accuracy of the information and therefore, assume no responsibility for any damage to a person, property or business arising from such use. Moreover, it is the responsibility of the purchaser



		to ensure that the product is properly and safely used, instructed.
16.2	Prepared by	TIBOLLI, LLC
16.3	Company Logo	