

Revision Date: 1st January 2020

SAFETY DATA SHEET		
SECTION 1: PRODUCT AND COMPANY IDENTIFICATION		
1.1	Product name	GKhair Hair Taming System with Juvexin Dry Shampoo
1.2	Product Category	Color Bleaching
1.3	Company Name	TIBOLLI, LLC
1.4	Company Address	1607 Ave. Ponce de Leon, Edificio Cobian's Plaza, GM-06, San Juan, 00909, Puerto Rico.
1.5	Company Contact Details	+1 305 390 0044 (phone) +1 954 514 9043 (fax) info@vantibolli.com (email) http://www.vanibolli.com (web)
1.6	Customer Service Number	INFOTRAC: US/CANADA 1-800-535-5053/International 1-352-323-3500
SECTION 2: HAZARD IDENTIFICATION  <p style="text-align: center;">Warning</p>		
2.1	Classification of Substance	The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1223/2009 (and subsequent amendments and supplements). Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this safety data sheet.
2.2	Hazard Statements	May intensify fire, oxidizer. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction.

2.3	Precautionary Statements	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/store away from clothing/combustible materials. Wash thoroughly after handling. Wear protective gloves/clothing/eye/face protection. In case of inadequate ventilation, wear respiratory protection. If inhaled, move person outside for fresh air. Immediately call a poison centre/doctor/physician. In case of fire, extinguish or call the firefighter if the fire expands.	
2.4	Route of Entry	Inhalation	Yes
		Absorption	Yes
		Ingestion	Yes
<i>EFFECTS OF EXPOSURE:</i>			
2.5	Ingestion	If swallowed, it may cause mouth, throat and esophagus burns, sickness, diarrhea, edema, larynx swelling and, consequently, asphyxia. Perforation of the gastro-intestinal tract is also possible.	
2.6	Eyes	May cause serious harm such as cornea opacity, iris lesions, irreversible eye coloration.	
2.7	Skin	This product is corrosive and causes serious burns and vesicles on the skin, which can arise even after exposure. Burns are very stinging and painful.	
2.8	Inhalation	The vapors and/or powders may cause pulmonary edema, whose symptoms sometimes arise only after some hours.	
<i>ACUTE AND REPEATED EXPOSURE EFFECTS:</i>			
2.9	Inhalation	Inhalation of this product may irritate the lower and upper respiratory tract and cause cough and respiratory disorders. At higher concentrations, it can also cause pulmonary edema.	
2.10	Ingestion	Ingestion may cause health problems, including stomach pain, sting, nausea and sickness. Inhalation of this product may cause sensitization, which may then give rise to a series of inflammatory episodes, most of all characterized by obstruction and affecting the respiratory system. Sometimes, sensitization phenomena arise together with evident rhinitis and asthma. Damages to the respiratory system depend on the	



		inhaled quantity, on the product concentration in the working environment and on the exposure time.															
2.11	Symptoms of Overexposure	Sting, cough, asthma, laryngitis, respiratory disorders, headache, nausea and sickness.															
2,12	Other	On the basis of available data, the product does not contain any PBT or vPvB in percentages greater than 0.1.															
SECTION 3: INGREDIENTS AND COMPOSITION																	
3.1	<p>SD Alcohol 40-B, Oryza Saliva (Rice) Starch, Aqua, Gossypium Herbaceum (Cotton), Dimethicone, Diisopropyl Adipate, Hydrolyzed Keratin, Oxidized Keratin, Keratin (JUVEXIN), Vitis Vinifera (Grape) Seed Extract, Propylene Glycol, Parfum, Benzyl Benzoate, Benzyl Salicylate, Butylphenyl Methylpropional, Citral, Citronellol, Coumarin, Eugenol, Farnesol, Geraniol, Isoeugenol, Limonene, Linalool, Farnesol, Kaolin, Disteardimonium Hectorite</p> <p>Hazardous constituents associated with the product are listed below:</p> <table border="0"> <tr> <td>Silica</td> <td>7631-86-9(CAS)</td> <td><1%</td> </tr> <tr> <td>Aluminum Starch Octenylsuccinate</td> <td>9087-61-0(CAS)</td> <td>5-10%</td> </tr> <tr> <td>Butane, Propane, Isobutane</td> <td>106-97-8(CAS)</td> <td>60-70%</td> </tr> <tr> <td></td> <td>74-98-6</td> <td></td> </tr> <tr> <td></td> <td>76-28-5</td> <td></td> </tr> </table>	Silica	7631-86-9(CAS)	<1%	Aluminum Starch Octenylsuccinate	9087-61-0(CAS)	5-10%	Butane, Propane, Isobutane	106-97-8(CAS)	60-70%		74-98-6			76-28-5		
Silica	7631-86-9(CAS)	<1%															
Aluminum Starch Octenylsuccinate	9087-61-0(CAS)	5-10%															
Butane, Propane, Isobutane	106-97-8(CAS)	60-70%															
	74-98-6																
	76-28-5																
SECTION 4: FIRST AID MEASURES																	
4.1	In case of Skin Allergy	Discontinue the use of product. Apply cold compressions to affected area, which would help relieve any discomfort. If discomfort persists, contact a physician.															
4.2	In case of contact with Eyes	Thorough rinsing with water for 15-20 mins is recommended. Seek medical assistance if irritation develops.															
4.3	In case of Inhalation	If respiratory irritation occurs, move person outside for fresh air. Consult a physician if discomfort persists. Intentional misuse by deliberately concentrating and inhaling content can be harmful and fatal.															
4.4	In case of Ingestion	Not a likely route.															
SECTION 5: FIRE FIGHTING MEASURES																	



5.1	Flash Point	N/A
5.2	Auto Ignition Temperature	N/A
5.3	Extinguishing Media	Carbon Dioxide, Dry Chemical, Foam, or Water Spray.
5.4	Fire Fighting Procedures	Contact Emergency Personnel. Use self-contained breathing, apparatus and full protective gear, if large quantities of product are involved.
5.5	Explosion Hazard	Flammable, Aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards. Use self-contained breathing apparatus and full protective gear if large quantities of the product are involved. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen; hazardous decomposition products may be released, including hydrofluoric, and/or carbonyl halide.
SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1	Precautions in Case of Release or Spill	Large spills or punctures should be well ventilated. Air movement to dilute leaking gases is essential. Avoid ignition sources. Turn off electric power in area.
6.2	Methods for Clean-up	Soak up with absorbent materials and wash with water. Place in a non-leak container for appropriate disposal.
SECTION 7: HANDLING AND STORAGE INFORMATION		
7.1	Handling Precautions	Flammable avoid heat, sparks, flame or smoking during use. Use only in well ventilated areas, contents under pressure, do not crush, puncture or incinerate, keep out of the reach of children.
7.2	Storage	Store as a level 3 Aerosol (NEPA30B). Store in a cool, dry and well-ventilated area. Store below 120F. Warehousing should be in compliance with local, state and federal codes as well as the regulations of your insurance carrier.
SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION		

8.1	Household settings	This is a personal care or cosmetic product that is safe or consumers under intended and reasonably foreseeable use.
8.2	Non-Household Settings	Use in a well-ventilated area. Use safety glasses or goggles. If airborne mist hazard exist, use gloves and other clothing to prevent skin contact.
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1	Appearance	Powdered Spray
9.2	Color	White
9.3	Odor	Specific to fragrance
9.4	Vapor Pressure @ 20 C mm Hg	46 – 56
9.5	Vapor Density (AIR = 1)	N/A
9.6	Spray Pattern	1.5 – 2.5” @6”
9.7	Crimp Diameter	1.065 – 1.075”
9.8	Crimp Height	0.185 – 0.195”
9.9	Density	0.9245 – 1.0245 g/cc
9.10	Spray Rate	0.7 – 1.0 g/s
SECTION 10: STABILITY AND REACTIVITY		
10.1	Stability	Stable
10.2	Conditions to Avoid	Direct heat, flames and sparks
10.3	Reactivity	Not reactive under normal conditions
10.4	Hazardous Polymerization	Does not occur
10.5	Possibility of hazardous reactions	None under normal conditions
SECTION 11: TOXICOLOGICAL INFORMATION		
11.1	Inhalation	May cause irritation of respiratory tract. May cause drowsiness and dizziness. Intended misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
11.2	Eyes	May cause serious irritation
11.3	Skin	May cause frostbite
11.4	Ingestion	Ingestion may cause gastrointestinal irritation, may cause vomiting and diarrhea.
11.5	Chronic Effects	None in finished product.
11.6	Target Organs	None in finished product.
11.7	Carcinogenicity	None in finished product.




SECTION 12: ECOLOGICAL INFORMATION			
12.1	Ecological Hazards	The product ingredients are expected to be safe for the environment at concentration predicted under normal use and accidental spill scenarios. Packaging components are compatible with conventional solid waste management practices. Aerosol containers are recyclable when empty.	
12.2	Recycling	Packaging is compatible with conventional solid waste management practices. Aerosol containers are recyclable when empty.	
SECTION 13: DISPOSAL CONSIDERATIONS			
13.1	Disposing Information	Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to Federal, State and Local Regulations regarding health, air and water pollution.	
13.2	For Household Settings	Empty can through normal use as directed on the can. If the can cannot be emptied due to malfunction of actuator then the product should be disposed of in a special waste collection for pressured containers. A local waste handler should be contacted.	
13.3	For Non-Household Settings	Products in their original form, when disposed as waste are ignitable hazardous waste. Check with your State environmental agency for further guidance.	
SECTION 14: TRANSPORTATION INFORMATION			
14.1	Department of Transportation (DOT)	Proper Shipping Name	Consumer Commodity
		Hazard class	ORM-D
		Description	Consumer Commodity ORM-D
		Emergency Response Guide Number	126
14.2	Transportation of Dangerous Goods (TDG), Mesopelagic Export Mooring (MEX)	UN Number	UN1950
		Proper Shipping Name	Aerosols
		Hazard Class	2.1
		Description	UN1950, Aerosols. 2.1



14.3	International Civil Aviation Organization (ICAO), International Air Transport Association (IATA)	UN Number	ID8000
		Proper Shipping Name	Consumer Commodity
		Hazard	9
		Description	ID8000, Consumer Commodity, 9
		ERG Code	9L
14.4	International Maritime Dangerous Goods/Internal Maritime Organization	UN Number	UN1950
		Proper Shipping Name	Aerosols
		Hazard Class	2
		EMS No	F-D, S-U
		Description	UN1950, Aerosols, 2 (18.3) CoC
SECTION 15: REGULATORY INFORMATION			
15.1	U.S Regulation	Food, Drug and Cosmetics Act 1938, California Prop 65, California CARB VOC Regulations.	
15.2	European Regulation	European Commission Directive 1223/2009.	
15.3	TSCA	United States Toxic Substances Control Act.	
15.4	Canadian Regulations	All ingredients are CEPA approved for import to Canada and the product is in compliance with the Canadian Controlled Products Regulations as well as the Canadian Domestic and Non-domestic Substances List.	
SECTION 16: OTHER INFORMATION			
16.1	Disclaimer	TIBOLLI, LLC believes that the information contained in this SDS is correct as of this date. However, because the material may be used under conditions which TIBOLLI, LLC has no control over or cannot anticipate, it gives no warranty, express or implied, as to the accuracy of the information and therefore, assume no responsibility for any damage to a person, property or business arising from such use. Moreover, it is the responsibility of the purchaser to ensure that the product is properly and safely used, instructed.	
16.2	Prepared by	TIBOLLI, LLC	



TIBOLLI

16.3	Company Logo	
------	--------------	--